29 BAYSWATER AVENUE, OTTAWA, ONTARIO, K1Y 2E5 Phone: (613) 798-1220 Toll Free: (855) 546-1244 Fax: (613) 798-1220 www.OICC.ca

Professional Resource: Acupuncture

Proper (and Common) Name

Acupuncture; Japanese acupuncture; acupuncture therapy.

Common Uses in Cancer Care

Acupuncture is commonly used in cancer care to manage symptoms associated with cancer and cancer treatment, for example pain (1-8), chemotherapy induced nausea and vomiting (1-3, 5, 9-13), sleep disturbances (3, 10), fatigue (1, 4, 14, 15), anxiety and depression (3), and peripheral neuropathy (16).

Western biomedical approach are related to pain inhibition primarily via endorphin release, as well as the potential anti-inflammatory and immunomodulatory effects of acupuncture.

Some acupuncture points are located over muscular tension (6). Acupuncture needles penetrate the connective tissue (including subcutaneous tissue) (6, 14, 23-26), which activates both the peripheral and central nervous systems and results in the release of various neurotransmitters, including endorphins, monoamines, serotonin and encephalin, thereby blocking pain messages or altering the perception of pain (3, 23, 25-30). Pain may also be alleviated by suppressing the expression of interleukin-1 beta, a tumour derived factor that sensitizes primary afferent neurons to elicit cancer-related pain (29). An opioid-like mechanism also appears likely for example through the increased secretion of endogenous opioids, catecholamines, and serotonin in plasma and brain tissues (1, 25), which can contribute to decreased perception of pain, decreased reaction to pain as well as increased pain tolerance.

Acupuncture also appears to initiate an immune response. Human and animal studies document the effect of acupuncture on a range of immune markers, including: a decrease in levels of CD4+ and CD8+ cells, which are known to suppress overactive immune response (26, 27), an increase in natural killer (NK) cell activity (16, 26, 27), an increase in IgG, IgA, IgM (28), an increase in interleukin-2 and a decrease in cytokines interleukin-4 and interleukin-6 (26, 27), modulation of B and T cell populations that would favour antibody production (16, 26, 27) and enhanced cortisol production (27). Each of these immune markers represent possible surrogates for pain control, and enhanced formation of blood cellular components and immunity (16, 27).

Specific mechanisms have been studied in relation to acupunctures effects on specific cancer and cancer treatment-related symptoms. For example, management of neuropathy appears related to a release of adenosine, which is a neuromodulator that reduces sensitivity to painful stimuli (26). Related to xerostomia, functional magnetic resonance imaging studies have documented a relationship between stimulating acupuncture point LI-20 and the activation of the brain function area responsible for salivary production (1). Acupuncture has been shown to have an effect on neuropeptide Y and corticotrophin-releasing factor, which are both involved in the stress response (26).

Clinical Evidence related to Effectiveness

Several reviews, including systematic reviews of randomized controlled trials, have been conducted related to the clinical effectiveness of acupuncture for many cancer and cancer treatment related symptoms. In particular, strong evidence exists to support the use of acupuncture to manage uncontrolled pain and chemotherapy-induced nausea and vomiting. Accordingly the Society for Integrative Oncology recommends acupuncture for these indications in their Clinical Practice Guidelines (9).

Most reviews identify a problem with design flaws within many primary acupuncture studies (7, 19, 20, 29), including non-experimental designs (20), variability in acupuncture interventions and needling

techniques(

Pain

Several randomized controlled trials have demonstrated the effectiveness of acupuncture to help manage pain in cancer patients, including malignant pain, post-operative pain, radiation-induced chronic ulcers, and chemotherapy-induced neuropathic pain. These studies have assessed the use of acupuncture both as a complementary and alternative method to usual care (i.e. primarily pharmaceutical analgesics). Most studies demonstrate additional pain reduction with the addition of acupuncture treatment, or a comparable effect for acupuncture and usual care. Further, some studies have documented a reduced need for pharmaceutical analgesics to maintain patient comfort when acupuncture is used as a complementary intervention, which can also decrease the incidence and degree of drug induced side effects (1, 14).

A meta-analysis of results of 8 randomized controlled trials comparing acupuncture with conventional drug therapies, documented no difference between acupuncture and conventional drug therapies for pain reduction (n= 886; RR, 1.12; 95% CI 0.98 to 1.28; P=0.09). A separate analysis of 7 randomized controlled trials compared the effects of acupuncture plus conventional drug therapies to conventional therapy alone on cancer pain and demonstrates favourable effects for acupuncture combined with conventional drug therapy for pain reduction (n=437; RR, 1.36; 95% CI 1.13 to 1.64; P=0.003). Finally, a Cochrane review of acupuncture for cancer-related pain in adults included 3 randomized controlled trials, including one of high methodological quality/low risk of bias. In this randomized controlled trial, 90 people with pain arising after cancer treatment despite stable medication were randomized to one of three groups: needles placed at correct acupuncture points (treatment group), needles placed at non-acupuncture points, or application of pressure at non-acupuncture points (control group). Pain intensity decreased by 36% at 2 months from baseline in the treatment group (p<<0.001), a significant difference compared with the two control groups, where little pain reduction was seen (8). These results are especially important because most of the patients had neuropathic pain, which rarely responds to conventional treatment (9). Further, in this trial no adverse outcomes were reported (8).

Nausea and vomiting

Some of the strongest evidence exists to support the use of acupuncture for chemotherapy induced nausea and vomiting, including several positive randomized controlled trials (5), but the evidence is lacking regarding radiation-induced nausea (31). For example, a 2011 Cochrane review of acupuncture point stimulation (including needles, electrical stimulation, magnets, or acupressure) for chemotherapy induced nausea or vomiting, included 11 randomized trials and found overall that acupuncture point stimulation, as compared to a control, reduced the

One randomized trial explored the effects of acupuncture as compared to venlafaxine among women with breast cancer experiencing hot flashes caused by tamoxifen. In this study, acupuncture was shown to be as effective as venlafaxine in controlling hot flashes and not associated with the common side effects of venlafaxine. Further, the acupuncture group exhibited a sustained improvement at 2 weeks post-treatment, whereas the venlafaxine group developed more hot flashes post-treatment (17).

Xerostomia

Some evidence exists to suggest acupuncture can help relieve radiation-induced xerostomia. Several literature reviews, including one systematic review of 3 randomized controlled trials (21), consistently report improvements in salivary flow rate, a reduction in mouth dryness and hoarseness, and improved taste following acupuncture treatment and as compared to controls (4, 9, 14, 21, 22, 31). Review data are consistent with data from uncontrolled trials that similarly demonstrate improvements in salivary flow rates up to 6 months following acupuncture treatment, with continuous improvements in flow rate up to 3 years with ongoing treatment (36, 37).

Adverse Events and Side Effects

The consensus among reviewers of acupuncture in cancer care is that acupuncture is safe, with minimal side effects, when practiced by trained and licensed practitioners (4, 5, 9, 14, 29, 38-40). Mild adverse events include distress, fatigue, hematoma, bleeding or bruising at the insertion site, needling pain and a short-term (a few second) transient increase of vasomotor symptoms (13, 20, 41-44).

Significant adverse events are rare, with an estimated incidence of less than 0.55 per 10,000 individuals, or even less since the introduct

REFERENCES

1. Lu W, Dean-Clower E, Doherty C, Gilman A, Rosenthal DS. The value of acupuncture in cancer care. Hematology/oncology clinics of North America. 2008;22(4):731-48, viii. Epub 2008/07/22.
2. Paley CA, Johnston MI, Bennett MI. Should physiotherapists use acupuncture for treating patients with cancer-induced bone pain? A discussion paper. Physiotherapy. 2011;97(3):253-6. Epub 2010 Oct 30.
3. Running A, Seely T. Integrative oncology: managing cancer pain with complementary and alternative therapies. Current pain and headache reports. 2012;16(4):325-32. Epub 2012/05/29.
4. Capodice JL. Acupuncture in the oncology setting: clinical trial update. Current treatment options in oncology. 2010;11(3-4):87-94. Epub 2010/12/01.
5. Standish LJ, Kozak L, Congdon S. Acupuncture Is Underutilized in Hospice and Palliative Medicine. American Journal of Hospice & Palliative Medicine. 2008;25(4):303-8.
6. Cassileth BR, Gubili J, Simon Yeung K. Integrative medicine: complementary therapies and supplements. Nature reviews Urology. 2009;6(4):223-8. Epub 2009/04/09.
7. Paley CA, Johnson MI, Tashani OA, Bagnall AM. Acupuncture for cancer pain in adults. Cochrane database of systematic reviews. 2011(1):CD007753. Epub 2011/01/21.
8. Alimi D, Rubino C, Pichard-Leandri E, Fermand-Brule S, Dubreuil-Lemaire ML, Hill C. Analgesic effect of auricular acupuncture for cancer pain: a randomized, blinded, controlled trial. Journal of clinical oncology : official journal of the American Society of Clinical Oncology. 2003;21(22):4120-6. Epub 2003/11/15.
9. Deng GE, Frenkel M, Cohen L, Cassileth BR, Abrams DI, Capodice JL, et al. Evidence-based clinical practice guidelines for integrative oncology: complementary therapies and botanicals. Journal of the Society for Integrative Oncology. 2009;7(3):125-33. Epub 2009/08/27.
10. Johnstone PAS. Acupuncture as Cancer Symptom Therapy: What a Difference a Decade Makes. Journal of Acupuncture and Meridian Studies. 2011;4(4):209-13. Epub Oct 20, 2011.
11. Vickers AJ. Can acupuncture have specific effects on health? A systematic review of acupuncture antiemesis trials. Journal of the Royal Society of Medicine. 1996;89(6):303-11.
12. Ezzo JM, Richardson MA, Vickers A, Allen C, Dibble SL, Issell BF, et al. Acupuncture-point stimulation for chemotherapy-induced nausea or vomiting. Cochrane database of systematic reviews. 2006(2):CD002285. Epub 2006/04/21.
13. Chao LF, Zhang AL, Liu HE, Cheng MH, Lam HB, Lo SK. The efficacy of acupoint stimulation for the .

19. Lee MS, Kim KH, Choi SM, Ernst E. Acupuncture for treating hot flashes in breast cancer patients: a systematic review. Breast cancer research and treatment. 2009;115(3):497-504. Epub 2008/11/05.
20. Lee MS, Kim KH, Shin BC, Choi SM, Ernst E. Acupuncture for treating hot flushes in men with prostate cancer: a systematic review. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer. 2009;17(7):765-768. Epub 2009/02/19.
21. O'Sullivan EM, Higginson IJ. Clinical effectiveness and safety of acupuncture in the treatment of irradiation-induced xerostomia in patients with head and neck cancer: a systematic review. Acupuncture in medicine : journal of the British Medical Acupuncture Society. 2010;28(4):191-9. Epub 2010/11/11.
22. Kahn ST, Johnstone PA. Management of xerostomia related to radiotherapy for head and neck cancer. Oncology. 2005;19(14):1827-32; discussion 34-41, 47-9. Epub 2006/03/02.
23. Zhou Y, Garcia MK, Chang DZ, Chiang JY, Li Q, et al. Multiple myeloma, painful neuropathy, acupuncture? American journal of clinical oncology. 2009;32(3):251-9. Epub 2009/11/06.
24. Cassileth BR, Keefe FJ. Integrative and behavioral approaches to the treatment of cancer-related neuropathic pain. The oncologist. 2010;15 Suppl 2:23-9. Epub 2010/05/28.
25. Johnston MF, Yang C, Hui KK, Xiao B, Li XS, Rusiewicz A. Acupuncture for chemotherapy-associated cognitive dysfunction: a hypothesis-generating literature review to inform clinical advice. Integrative cancer therapies. 2007;6(1):36-41. Epub 2007/03/14.
26. Stone JA, Johnstone PA. Mechanisms of action for acupuncture in the oncology setting. Current treatment options in oncology. 2010;11(3-4):118-27. Epub 2010/11/26.
27. Cohen AJ, Menter A, Hale A. Acupuncture: role in comprehensive cancer care--a primer for the oncologist and review of the literature. Integrative cancer therapies. 2005;4(2):133-8. Epub 2005/05/25.
28. Nahleh Z, Tabbara IA. Complementary and alternative medicine in breast cancer patients. Palliative & supportive care. 2003;1(3):267-7. Epub 2006/04/06.
29. Choi TY, Lee MS, Kim TH, Zaslawski C, Ernst E. Acupuncture for the treatment of cancer pain: a systematic review of randomised clinical trials. Supportive care in cancer : official journal of the Multinational Association of Supportive Care in Cancer. 2012;20(6):1351-4. Epub 2012/03/27.
30. Collins KB, Thomas DJ. Acupuncture and acupressure for the management of chemotherapy induced nausea and vomiting. Journal of the American Academy of Nurse Practitioners. 2004;16(2):76-80. Epub 2004/04/02.
31. Smith ME, Bauer-Wu S. Traditional Chinese Medicine for cancer-related symptoms. Seminars in oncology nursing. 2012;28(1):67-74. Epub 2012/01/28.
32. Ezzo J, Vickers A, Richardson MA, Allais G, Dibble SL, Issell B, et al. Acupuncture-point stimulation for chemotherapy-induced nausea and vomiting. Journal of clinical oncology : official journal of the American Society of Clinical Oncology. 2005;23(28):7188-98. Epub 2005/09/30.
33. Balk J, Day R, Rosenzweig M, Beriwal S. Pilot, randomized, modified, double-blind, placebo-controlled trial of acupuncture for cancer-related fatigue. Journal of the Society for Integrative Oncology. 2009;7(1):4-11. Epub 2009/05/30.
34. Donald GK, Tobin I, Stringer E. Evaluation of acupuncture in the management of chemotherapy-induced peripheral neuropathy. Acupuncture in medicine : journal of the British Medical Acupuncture Society. 2011;29(3):233-8. Epub 2011/08/31.
35. Deng G, Vickers A, Yeung S, D'Andrea GM, Xiao H, Heerdt AS, et al. Randomized, controlled trial of acupuncture for the treatment of hot flashes in breast cancer patients. Journal of clinical oncology : official journal of the American Society of Clinical Oncology. 2007;25(35):5578-83. Epub 2007/12/11.
36. Blom M, Lundeberg T. Long-term follow-

37. Johnstone PA, Peng YP, May BC, Inouye WS, Niemtzow RC. Acupuncture for pilocarpine-resistant xerostomia following radiotherapy for head and neck malignancies. International journal of radiation oncology, biology, physics. 2001;50(2):357-363. Epub 2001/05/31.
38. O'Regan D, Filshie J. Acupuncture and cancer. Autonomic neuroscience : basic & clinical. 2010;157(1-2):96-100. Epub 2010/07/08.
39. Ernst E, White AR. Prospective studies of the safety of acupuncture: a systematic review. The American journal of medicine. 2001;110(6):481-485. Epub 2001/05/02.
40. White A, Hayhoe S, Hart A, Ernst E, Bmas, Society ABMA, et al. Survey of adverse events following acupuncture (SAFA): a prospective study of 32,000 consultations. Acupuncture in medicine : journal of the British Medical Acupuncture Society. 2001;19(2):129-134. Epub 2002/02/07.
41. Odsberg A, Schill U, Haker E. Acupuncture treatment: side effects and complications reported by Swedish physiotherapists. Complementary therapies in medicine. 2001;9(1):17-20. Epub 2001/03/27.
42. Yamashita H, Tsukayama H, Tanno Y, Nishijo K. Adverse events in acupuncture and moxibustion treatment: a six-year survey at a national clinic in Japan. Journal of alternative and complementary medicine. 1999;5(3):229-236. Epub 1999/06/25.
43.

Monograph Development Methods

SEARCHING

Exclusion Criteria

Pre-clinical and any research that does not involve humans.

DATA EXTRACTION

Data will be extracted using a standardized and piloted form that includes fields within each monograph section. Data will be extracted independently by one reviewer.

DATA ANALYSIS

Data analysis will differ by monograph section, but will primarily be descriptive.

QUALITY ASSESSMENT

No quality assessment will be conducted.